


## PRORUNNER® Mk9: Reliable and affordable pallet lift.

The PRORUNNER® Mk9 is a rugged pallet lift that will lift and lower your pallets, until the end of time. That is, it does what it's supposed to do and looks after itself. The PRORUNNER® Mk9 is the perfect solution for capacities of up to 60 pallets per hour. Because of its extremely small footprint, this lift fits into virtually any layout. This compact unit is very easy to integrate into your transport system and can be equipped with roller conveyor or chain conveyor. Thanks to its design and highly reliable components, the machine hardly requires any maintenance. In short: an easy-to-integrate pallet lift that remains affordable



Key Components for material handling: • Safety Fencing • Vertical Conveyors • Palletising Modules

## Advantages of the PRORUNNER® Mk9

- Minimum footprint
- Suitable for vertical sorting (several heights)
- Robust and low maintenance
- Low noise


- Right-angle arrangement also possible
- Pallets, racks etc. up to 2650
- No more lubricating or tightening of chains
- Steel and thus solid construction



Key Components for material handling:

• Safety Fencing • Vertical Conveyors • Palletising Modules

Tech Specs		Standard	Optional up to
Infeed	inch.	29	19
Outfeed	inch.	98	393
Capacity	p/hour.	20	60
Product	L x W inch.	47 x 31	47 × 47
Weight	Lb.	1100	2650



Key Components for material handling:

• Safety Fencing • Vertical Conveyors • Palletising Modules

## SOURCELINK

## Request for quote

6

🗌 F

Customer:				/		1 million
E-mail:						
Product:	-	8. V	1			
Product sizes:	x	x	mm.		Come Come Come Come Come Come Come Come	- 155
Capacity: min	p/hour.	max	p/hour.			
Product weight: min	Lb.	max	Lb.		3/1/1/1	
Product oriëntation infeed: Sho	rt / Long Side Lea	ding			A	
Product oriëntation outfeed: Sh	ort / Long Side Le	ading			13 1011 18	
Product infeed:			mm.			
Product outfeed:			mm.			
Infeed:	Roller convey	/or / Chain conv	eyor			
Outfeed:	Roller convey	vor / Chain conv	eyor			
Field components included:	Yes / No				ELEVATE	DESCEN
Safety fencing included:	Yes / No				HAN KAN KAN	
Safety fencing door included:	Yes / No			TOP		
Operational:	/ Hour / Day	Days	. / s / Week		2	5
Lay-out:						
Environment conditions:				MO		
				BOTTOM		
Special remarks:						
					1	
				L	1	

" DISCLAIMER: this document is for informational en promotional purposes only all orders are subject to the Qimarox terms and conditions and Qimarox's written confirmation. Copyright © 2013 Qimarox®™ "